EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1713	((fact near3 table) or ((database or data $1base or (data near3 base)))) near3 (optimization)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 14:46
L2	351	L1 and (((fact near3 table) or ((database or data$1base or (data near3 base)))) with (partition$4 or segment$4 or divid $4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 14:47
L3	2755	(707/2).CCLS.	USPAT; USOCR	OR	OFF	2008/11/29 14:47
L4	3130	(707/100).CCLS.	USPAT; USOCR	OR	OFF	2008/11/29 14:47
L5	4324	(707/102).CCLS.	USPAT; USOCR	OR	OFF	2008/11/29 14:47
L6	8521	L3 or L4 or L5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 14:47
L7	100	L6 and L2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 14:47
L8	18	L1 and (based with (gaps or separation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 14:50
L9	20	L1 and (boundar$4 with (partition$4 or segment$4 or divis $5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 14:51
L10	6	L6 and L9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 14:52

L11	27	L1 and (boundar$4 same (partition$4 or segment$4 or divis $5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 14:52
L12	7	L11 not L9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 14:52
L13	319	((fact near3 table) or ((database or data $1base or (data near3 base))) with ((boundar$4 same (partition$4 or segment$4 or divis $5)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 14:53
L14	27	L6 and L13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 14:53
L15	1107	((fact near3 table) or ((database or data $1base or (data near3 base))) same ((boundar$4 same (partition$4 or segment$4 or divis $5)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 14:54
L16	65	L6 and L15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 14:54
L17	0	(gap or separation) with covers with (valid near3 ((foreign near3 key) or (dimension near3 value)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:15
L18	719	boundaries with (segment or partition or bucket or division) with (gap or separation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:16
L19	1	L18 and (L6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:16

L20	0	(boundaries with segment with established with ((dimension$value) or (dimension near3 value) or (foreign near3 key)) with database).clm. and L6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:17
L21	0	(boundaries with segment with established with ((dimension$value) or (dimension near3 value) or (foreign near3 key)) with database).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:17
L22	0	(gap with covers with valid with ((dimension$value) or (dimension near3 value) or (foreign near3 key)) with associated with row with table).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:18
L23	0	(gap with covers with valid with ((dimension$value) or (dimension near3 value) or (foreign near3 key)) with associated with row with table).clm. and L6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:19
L24	0	(segment with row with table with (contiguous near3 range) with ((dimension$value) or (dimension near3 value) or (foreign near3 key))).clm. and L6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:19
L25	1	(segment with row with table with (contiguous near3 range) with ((dimension$value) or (dimension near3 value) or (foreign near3 key))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:19

L26	17	optimiz$ near3 (fact adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L27	9	(reduc$4 near3 size) near3 (fact adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L28	9	(reduc$4 near3 (size or columns)) near3 (fact adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L29	165	(segment$4 or divid $4 or organiz$4 or re $1organiz$4) with (fact adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L30	41	(segment$4 or divid $4 or organiz$4 or re $1organiz$4) near3 (fact adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L31	9	"1033427".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L32	2	"0133427".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L33	3	"0133427"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L34	2	"0133427".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L35	2	"0133427".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34

L36	3	"0133427"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L37	17	optimiz$4 near3 star near3 schema	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L38	13	(optimiz$4 near3 star near3 schema) and (fact near3 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L39	2	(optimiz$4 near3 star near3 schema) and (modif$4 with (fact near3 table))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L40	115	(order$4 or sort$4 or organiz$4) near3 (fact adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L41	37	L40 and (star near3 schema)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L42	1027967	L40 and (star near3 schema) and blocks or segments	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L43	30	L40 and (star near3 schema) and (blocks or segments)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L44	2	"7152056".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L45	2413	(707/4).CCLS.	USPAT; USOCR	OR	OFF	2008/11/29 15:34
L46	17	optimiz$ near3 (fact adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34

L47	9	(reduc$4 near3 size) near3 (fact adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L48	9	(reduc$4 near3 (size or columns)) near3 (fact adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L49	165	(segment$4 or divid $4 or organiz$4 or re $1organiz$4) with (fact adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L50	41	(segment$4 or divid $4 or organiz$4 or re $1organiz$4) near3 (fact adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L51	9	"1033427".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L52	2	"0133427".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L53	3	"0133427"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L54	0	WO0133427	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L55	1	"WO 0133427"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L56	2	"0133427".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34

L57	2	"0133427".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L58	3	"0133427"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L59	17	optimiz$4 near3 star near3 schema	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L60	13	(optimiz$4 near3 star near3 schema) and (fact near3 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L61	0	(optimiz$4 near3 star near3 schema) and (minimiz$4 near3 (fact near3 table))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L62	0	(optimiz$4 near3 star near3 schema) and (optimiz$4 near3 (fact near3 table))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L63	0	(optimiz$4 near3 star near3 schema) and (re$1order near3 (fact near3 table))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L64	0	(optimiz$4 near3 star near3 schema) and (sort near3 (fact near3 table))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L65	0	(optimiz$4 near3 star near3 schema) and (sort with (fact near3 table))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L66	1	(optimiz$4 near3 star near3 schema) and (sort$4 with (fact near3 table))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34

L67	0	(optimiz$4 near3 star near3 schema) and (reduc$4 near3 (fact near3 table))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L68	0	(optimiz$4 near3 star near3 schema) and (reduc$4 with (fact near3 table))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L69	2	(optimiz$4 near3 star near3 schema) and (modif$4 with (fact near3 table))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L70	115	(order$4 or sort$4 or organiz$4) near3 (fact adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L71	37	L70 and (star near3 schema)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L72	30	L70 and (star near3 schema) and (blocks or segments)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L73	2	"7152056".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L74	2	"6484179".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L75	2	"6636870".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L86	482	((sort$4 or order) near3 ((dimension near3 values) or (foreign near3 keys)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34

L87	3	L86 and (segment$4 with table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L88	0	L86 and (stor$4 near3 groups near3 different near3 tables)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L89	0	L86 and (stor$4 near3 ranges near3 different near3 tables)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L90	0	L86 and (stor$4 with rang$3 with different with tables)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L91	127	(segment$4 or break $4 or portion$4 or divid$4) with table with ((dimension near3 values) or (foreign near3 keys))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L92	3	(segment$4 or break $4 or portion$4 or divid$4) with table with range with ((dimension near3 values) or (foreign near3 keys))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L93	3	(segment$4 or break $4 or portion$4 or divid$4) with table with gap with ((dimension near3 values) or (foreign near3 keys))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L94	2	(locat$4 near3 gaps) with table with gap with ((dimension near3 values) or (foreign near3 keys))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34
L95	2	(locat$4 near3 gaps) same table same ((dimension near3 values) or (foreign near3 keys))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 15:34

| L96 | 3 | ((locat$4 or identif$4 or discover$4) near3 gaps) same table same ((dimension near3 values) or (foreign near3 keys)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/29 15:34 |

11/29/2008 3:39:38 PM
C:\ Documents and Settings\ pdarno\ My Documents\ EAST\ Workspaces\ App No -- 10719819 -- after crash\ regenerated search after search lost -- 11-29-2008.wsp